




CARBIDE TIPPED ANNULAR CUTTERS



I CARBIDE ANNULAR CUTTER SERIES MODEL INSTRUCTIONS

D N T X - 2 0220



APPLICABLE MATERIAL

Section steel <1400N	Steel plate	Pipes-tee	Stainless steel <900N	Aluminum	Copper/tin	Plastic/-plexiglass	Cast iron	Laminate material	Graphite	Rail-steel	Wood
●	●	○	○	●	●	●	●	○	●	○	-

Applicable to all kinds of structural steel plates, alloy steel, stainless steel, aluminum, brass, cast iron, etc.

●: very applicable ○: applicable

APPLICABLE INDUSTRIES

STEEL STRUCTURES / BRIDGE ENGINEERING / SHIP BUILDING / OIL RIGS CONSTRUCTION / RAILWAY CONSTRUCTION / MACHINERY MANUFACTURING / ELECTRIC POWER

OPTIONAL PRODUCTS



ARBOR	ADAPTER	MAGNETIC DRILLING MACHINES	DRILLING MACHINE	MACHINE	COUNTERSINK	ADAPTER+CHUCK

<u>D</u>	<u>N</u>	<u>T</u>	<u>X-</u>	<u>2</u>	<u>0220</u>
BIG TYPE	FUNCTION CODE			SPEC CODE	
D - Annular cutter series	N - Normal type (Standard type) H - Hard cutting	T - Carbide	C - Universal shank Φ 19.05 X - weldon shank Φ 19.05 K - WELDON SHANK+1 ADDITIONAL HOLE Φ 19.05 P - WELDON SHANK (Version P) Φ 31.75 F - FEIN QUICK-IN SHANK Φ 18 G - QUICK CHANGE SHANK Φ 25 J - PARALLEL SHANK Φ 31.75 L - THREAD SHANK M18 R - ROUND SHANK (version R) Φ 15.875	METRIC	
				1 - Depth of cut below 22	0220 - Φ 22.0
				2 - Depth of cut 25	0225 - Φ 22.5
				INCH	
				A - Depth of cut below 7/8"	0437 - 7/16"
				B - Depth of Cut 1"	1500 - 1-1/2"
				C - Depth of Cut 1-3/8"	
				D - Depth of Cut 2"	
				E - Depth of Cut 3"	
				F - Depth of Cut 4"	
				G - Depth of Cut 6"	

DNTX CARBIDE TIPPED ANNULAR CUTTER WITH X-TYPE WELDON SHANK



- Weldon shank, with more stable clamping force, better stability for drilling and better precision of holes;
- Special carbide tips with layered and low friction cutting geometry
- Applicable to drilling and process of annular groove on various magnetic drilling machines and press.



Unit: mm

MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION
DNTX-30110	11*35	DNTX-30245	24.5*35	DNTX-30410	41*35	DNTX-30590	59*35
DNTX-30120	12*35	DNTX-30250	25*35	DNTX-30420	42*35	DNTX-30600	60*35
DNTX-30130	13*35	DNTX-30260	26*35	DNTX-30430	43*35	DNTX-30610	61*35
DNTX-30140	14*35	DNTX-30265	26.5*35	DNTX-30440	44*35	DNTX-30620	62*35
DNTX-30150	15*35	DNTX-30270	27*35	DNTX-30450	45*35	DNTX-30630	63*35
DNTX-30160	16*35	DNTX-30280	28*35	DNTX-30460	46*35	DNTX-30640	64*35
DNTX-30170	17*35	DNTX-30290	29*35	DNTX-30470	47*35	DNTX-30650	65*35
DNTX-30180	18*35	DNTX-30300	30*35	DNTX-30480	48*35		
DNTX-30185	18.5*35	DNTX-30310	31*35	DNTX-30490	49*35		
DNTX-30190	19*35	DNTX-30320	32*35	DNTX-30500	50*35		
DNTX-30200	20*35	DNTX-30330	33*35	DNTX-30510	51*35		
DNTX-30205	20.5*35	DNTX-30340	34*35	DNTX-30520	52*35		
DNTX-30210	21*35	DNTX-30350	35*35	DNTX-30530	53*35		
DNTX-30215	21.5*35	DNTX-30360	36*35	DNTX-30540	54*35		
DNTX-30220	22*35	DNTX-30370	37*35	DNTX-30550	55*35		
DNTX-30225	22.5*35	DNTX-30380	38*35	DNTX-30560	56*35		
DNTX-30230	23*35	DNTX-30390	39*35	DNTX-30570	57*35		
DNTX-30240	24*35	DNTX-30400	40*35	DNTX-30580	58*35		

INCH SIZE ON P41



OPTIONAL ACCESSORIES

MATCHING PILOT PIN				RECOMMENDED MAGNETIC DRILLING MACHINE		
DIAMETER	MODEL	SPECIFICATION	PILOT PIN	DIAMETER	MAGNETIC DRILLING MACHING	MATCHING TOOL HOLDER
11	DPB-42090	4.75*90		11	DX-35	—
12-17	DPB-62090	6.34*90		12-17	DX-35	—
18-65	DPB-81090	7.98*90		18-65	DX-60	DJXY-50D-MT3
				18-65	DX-120	DJXY-50X-MT4

DNTX CARBIDE TIPPED ANNULAR CUTTER WITH X-TYPE WELDON SHANK



- Weldon shank, with more stable clamping force, better stability for drilling and better precision of holes;
- Special carbide tips with layered and low friction cutting geometry
- Applicable to drilling and process of annular groove on various magnetic drilling machines and press.



Unit: mm

MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION
DNTX-40110	11*50	DNTX-40245	24.5*50	DNTX-40410	41*50	DNTX-40590	59*50
DNTX-40120	12*50	DNTX-40250	25*50	DNTX-40420	42*50	DNTX-40600	60*50
DNTX-40130	13*50	DNTX-40260	26*50	DNTX-40430	43*50	DNTX-40610	61*50
DNTX-40140	14*50	DNTX-40265	26.5*50	DNTX-40440	44*50	DNTX-40620	62*50
DNTX-40150	15*50	DNTX-40270	27*50	DNTX-40450	45*50	DNTX-40630	63*50
DNTX-40160	16*50	DNTX-40280	28*50	DNTX-40460	46*50	DNTX-40640	64*50
DNTX-40170	17*50	DNTX-40290	29*50	DNTX-40470	47*50	DNTX-40650	65*50
DNTX-40180	18*50	DNTX-40300	30*50	DNTX-40480	48*50		
DNTX-40185	18.5*50	DNTX-40310	31*50	DNTX-40490	49*50		
DNTX-40190	19*50	DNTX-40320	32*50	DNTX-40500	50*50		
DNTX-40200	20*50	DNTX-40330	33*50	DNTX-40510	51*50		
DNTX-40205	20.5*50	DNTX-40340	34*50	DNTX-40520	52*50		
DNTX-40210	21*50	DNTX-40350	35*50	DNTX-40530	53*50		
DNTX-40215	21.5*50	DNTX-40360	36*50	DNTX-40540	54*50		
DNTX-40220	22*50	DNTX-40370	37*50	DNTX-40550	55*50		
DNTX-40225	22.5*50	DNTX-40380	38*50	DNTX-40560	56*50		
DNTX-40230	23*50	DNTX-40390	39*50	DNTX-40570	57*50		
DNTX-40240	24*50	DNTX-40400	40*50	DNTX-40580	58*50		

INCH SIZE ON P42



OPTIONAL ACCESSORIES

MATCHING PILOT PIN				RECOMMENDED MAGNETIC DRILLING MACHINE		
DIAMETER	MODEL	SPECIFICATION	PILOT PIN	DIAMETER	MAGNETIC DRILLING MACHING	MATCHING TOOL HOLDER
11	DPB-42102	4.75*102		11	DX-35	—
12-17	DPB-62102	6.34*102		12-17	DX-35	—
18-65	DPB-81103	7.98*103		18-65	DX-60	DJXY-50D-MT3
				18-65	DX-120	DJXY-50X-MT4

DNTX CARBIDE TIPPED ANNULAR CUTTER WITH X-TYPE WELDON SHANK



- Weldon shank, with more stable clamping force, better stability for drilling and better precision of holes;
- Special carbide tips with layered and low friction cutting geometry
- Applicable to drilling and process of annular groove on various magnetic drilling machines and press.



Unit: mm

MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION
DNTX-50140	14*75	DNTX-50270	27*75	DNTX-50400	40*75	DNTX-50530	53*75
DNTX-50150	15*75	DNTX-50280	28*75	DNTX-50410	41*75	DNTX-50540	54*75
DNTX-50160	16*75	DNTX-50290	29*75	DNTX-50420	42*75	DNTX-50550	55*75
DNTX-50170	17*75	DNTX-50300	30*75	DNTX-50430	43*75	DNTX-50560	56*75
DNTX-50180	18*75	DNTX-50310	31*75	DNTX-50440	44*75	DNTX-50570	57*75
DNTX-50190	19*75	DNTX-50320	32*75	DNTX-50450	45*75	DNTX-50580	58*75
DNTX-50200	20*75	DNTX-50330	33*75	DNTX-50460	46*75	DNTX-50590	59*75
DNTX-50210	21*75	DNTX-50340	34*75	DNTX-50470	47*75	DNTX-50600	60*75
DNTX-50220	22*75	DNTX-50350	35*75	DNTX-50480	48*75	DNTX-50610	61*75
DNTX-50230	23*75	DNTX-50360	36*75	DNTX-50490	49*75	DNTX-50620	62*75
DNTX-50240	24*75	DNTX-50370	37*75	DNTX-50500	50*75	DNTX-50630	63*75
DNTX-50250	25*75	DNTX-50380	38*75	DNTX-50510	51*75	DNTX-50640	64*75
DNTX-50260	26*75	DNTX-50390	39*75	DNTX-50520	52*75	DNTX-50650	65*75

INCH SIZE ON P43



OPTIONAL ACCESSORIES

MATCHING PILOT PIN				RECOMMENDED MAGNETIC DRILLING MACHINE		
DIAMETER	MODEL	SPECIFICATION	PILOT PIN	DIAMETER	MAGNETIC DRILLING MACHING	MATCHING TOOL HOLDER
14-17	DPB-62130	6.34*130		14-17	DX-60	DJXY-75X-MT3
18-65	DPB-81130	7.98*130		18-65	DX-60	DJXY-75X-MT3
				18-65	DX-120	DJXY-75X-MT4

DNTX CARBIDE TIPPED ANNULAR CUTTER WITH X-TYPE WELDON SHANK



- Weldon shank, with more stable clamping force, better stability for drilling and better precision of holes;
- Special carbide tips with layered and low friction cutting geometry
- Applicable to drilling and process of annular groove on various magnetic drilling machines and press.



Unit: mm

MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION
DNTX-60140	14*100	DNTX-60270	27*100	DNTX-60400	40*100	DNTX-60530	53*100
DNTX-60150	15*100	DNTX-60280	28*100	DNTX-60410	41*100	DNTX-60540	54*100
DNTX-60160	16*100	DNTX-60290	29*100	DNTX-60420	42*100	DNTX-60550	55*100
DNTX-60170	17*100	DNTX-60300	30*100	DNTX-60430	43*100	DNTX-60560	56*100
DNTX-60180	18*100	DNTX-60310	31*100	DNTX-60440	44*100	DNTX-60570	57*100
DNTX-60190	19*100	DNTX-60320	32*100	DNTX-60450	45*100	DNTX-60580	58*100
DNTX-60200	20*100	DNTX-60330	33*100	DNTX-60460	46*100	DNTX-60590	59*100
DNTX-60210	21*100	DNTX-60340	34*100	DNTX-60470	47*100	DNTX-60600	60*100
DNTX-60220	22*100	DNTX-60350	35*100	DNTX-60480	48*100	DNTX-60610	61*100
DNTX-60230	23*100	DNTX-60360	36*100	DNTX-60490	49*100	DNTX-60620	62*100
DNTX-60240	24*100	DNTX-60370	37*100	DNTX-60500	50*100	DNTX-60630	63*100
DNTX-60250	25*100	DNTX-60380	38*100	DNTX-60510	51*100	DNTX-60640	64*100
DNTX-60260	26*100	DNTX-60390	39*100	DNTX-60520	52*100	DNTX-60650	65*100

INCH SIZE ON P44



OPTIONAL ACCESSORIES

MATCHING PILOT PIN				RECOMMENDED MAGNETIC DRILLING MACHINE		
DIAMETER	MODEL	SPECIFICATION	PILOT PIN	DIAMETER	MAGNETIC DRILLING MACHING	MATCHING TOOL HOLDER
14-17	DPB-62160	6.34*160		14-17	DX-120	DJXY-100X-MT4
18-65	DPB-81160	7.98*160		18-65		

DNTX CARBIDE TIPPED ANNULAR CUTTER WITH X-TYPE WELDON SHANK



- Weldon shank, with more stable clamping force, better stability for drilling and better precision of holes;
- Special carbide tips with layered and low friction cutting geometry
- Applicable to drilling and process of annular groove on various magnetic drilling machines and press.



Unit: mm

MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION
DNTX-70200	20*150	DNTX-70320	32*150	DNTX-70440	44*150	DNTX-70560	56*150
DNTX-70210	21*150	DNTX-70330	33*150	DNTX-70450	45*150	DNTX-70570	57*150
DNTX-70220	22*150	DNTX-70340	34*150	DNTX-70460	46*150	DNTX-70580	58*150
DNTX-70230	23*150	DNTX-70350	35*150	DNTX-70470	47*150	DNTX-70590	59*150
DNTX-70240	24*150	DNTX-70360	36*150	DNTX-70480	48*150	DNTX-70600	60*150
DNTX-70250	25*150	DNTX-70370	37*150	DNTX-70490	49*150	DNTX-70610	61*150
DNTX-70260	26*150	DNTX-70380	38*150	DNTX-70500	50*150	DNTX-70620	62*150
DNTX-70270	27*150	DNTX-70390	39*150	DNTX-70510	51*150	DNTX-70630	63*150
DNTX-70280	28*150	DNTX-70400	40*150	DNTX-70520	52*150	DNTX-70640	64*150
DNTX-70290	29*150	DNTX-70410	41*150	DNTX-70530	53*150	DNTX-70650	65*150
DNTX-70300	30*150	DNTX-70420	42*150	DNTX-70540	54*150		
DNTX-70310	31*150	DNTX-70430	43*150	DNTX-70550	55*150		

INCH SIZE ON P45

OPTIONAL ACCESSORIES



MATCHING PILOT PIN			
DIAMETER	MODEL	SPECIFICATION	PILOT PIN
20-65	DPT-82205	7.98*205	

PILOT PIN APPLICATION ON P390

DNTX CARBIDE TIPPED ANNULAR CUTTER WITH X-TYPE WELDON SHANK



- Weldon shank, with more stable clamping force, better stability for drilling and better precision of holes;
- Special carbide tips with layered and low friction cutting geometry
- Applicable to drilling and process of annular groove on various magnetic drilling machines and press.



Unit: inch

MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION
DNTX-C0437	7/16**1-3/8"	DNTX-C1000	1**1-3/8"	DNTX-C1562	1-9/16**1-3/8"	DNTX-C2125	2-1/8**1-3/8"
DNTX-C0500	1/2**1-3/8"	DNTX-C1062	1-1/16**1-3/8"	DNTX-C1625	1-5/8**1-3/8"	DNTX-C2187	2-3/16**1-3/8"
DNTX-C0562	9/16**1-3/8"	DNTX-C1125	1-1/8**1-3/8"	DNTX-C1687	1-11/16**1-3/8"	DNTX-C2250	2-1/4**1-3/8"
DNTX-C0625	5/8**1-3/8"	DNTX-C1187	1-3/16**1-3/8"	DNTX-C1750	1-3/4**1-3/8"	DNTX-C2312	2-5/16**1-3/8"
DNTX-C0687	11/16**1-3/8"	DNTX-C1250	1-1/4**1-3/8"	DNTX-C1812	1-13/16**1-3/8"	DNTX-C2375	2-3/8**1-3/8"
DNTX-C0750	3/4**1-3/8"	DNTX-C1312	1-5/16**1-3/8"	DNTX-C1875	1-7/8**1-3/8"	DNTX-C2437	2-7/16**1-3/8"
DNTX-C0812	13/16**1-3/8"	DNTX-C1375	1-3/8**1-3/8"	DNTX-C1937	1-15/16**1-3/8"	DNTX-C2500	2-1/2**1-3/8"
DNTX-C0875	7/8**1-3/8"	DNTX-C1437	1-7/16**1-3/8"	DNTX-C2000	2**1-3/8"	DNTX-C2562	2-9/16**1-3/8"
DNTX-C0937	15/16**1-3/8"	DNTX-C1500	1-1/2**1-3/8"	DNTX-C2062	2-1/16**1-3/8"		

METRIC SIZE ON P11



OPTIONAL ACCESSORIES

MATCHING PILOT PIN				RECOMMENDED MAGNETIC DRILLING MACHINE		
DIAMETER	MODEL	SPECIFICATION	PILOT PIN	DIAMETER	MAGNETIC DRILLING MACHING	MATCHING TOOL HOLDER
7/16"	DPB-42090	4.75*90		7/16"	DX-35	—
1/2"-11/16"	DPB-62090	6.34*90		1/2"-11/16"	DX-35	—
3/4"-2-9/16"	DPB-81090	7.98*90		DX-35	—	
				DX-60	DJXY-50D-MT3	
				DX-120	DJXY-50X-MT4	

DNTX CARBIDE TIPPED ANNULAR CUTTER WITH X-TYPE WELDON SHANK



- Weldon shank, with more stable clamping force, better stability for drilling and better precision of holes;
- Special carbide tips with layered and low friction cutting geometry
- Applicable to drilling and process of annular groove on various magnetic drilling machines and press.



Unit: inch

MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION
DNTX-D0437	7/16**2"	DNTX-D1000	1**2"	DNTX-D1562	1-9/16**2"	DNTX-D2125	2-1/8**2"
DNTX-D0500	1/2**2"	DNTX-D1062	1-1/16**2"	DNTX-D1625	1-5/8**2"	DNTX-D2187	2-3/16**2"
DNTX-D0562	9/16**2"	DNTX-D1125	1-1/8**2"	DNTX-D1687	1-11/16**2"	DNTX-D2250	2-1/4**2"
DNTX-D0625	5/8**2"	DNTX-D1187	1-3/16**2"	DNTX-D1750	1-3/4**2"	DNTX-D2312	2-5/16**2"
DNTX-D0687	11/16**2"	DNTX-D1250	1-1/4**2"	DNTX-D1812	1-13/16**2"	DNTX-D2375	2-3/8**2"
DNTX-D0750	3/4**2"	DNTX-D1312	1-5/16**2"	DNTX-D1875	1-7/8**2"	DNTX-D2437	2-7/16**2"
DNTX-D0812	13/16**2"	DNTX-D1375	1-3/8**2"	DNTX-D1937	1-15/16**2"	DNTX-D2500	2-1/2**2"
DNTX-D0875	7/8**2"	DNTX-D1437	1-7/16**2"	DNTX-D2000	2**2"	DNTX-D2562	2-9/16**2"
DNTX-D0937	15/16**2"	DNTX-D1500	1-1/2**2"	DNTX-D2062	2-1/16**2"		

METRIC SIZE ON P12



OPTIONAL ACCESSORIES

MATCHING PILOT PIN				RECOMMENDED MAGNETIC DRILLING MACHINE		
DIAMETER	MODEL	SPECIFICATION	PILOT PIN	DIAMETER	MAGNETIC DRILLING MACHING	MATCHING TOOL HOLDER
7/16"	DPB-42102	4.75*102		7/16"	DX-35	—
1/2"-11/16"	DPB-62102	6.34*102		1/2"-11/16"	DX-35	—
3/4"-2-9/16"	DPB-81103	7.98*103		DX-35	—	
				DX-60	DJXY-50D-MT3	
				DX-120	DJXY-50X-MT4	

DNTX CARBIDE TIPPED ANNULAR CUTTER WITH X-TYPE WELDON SHANK



- Weldon shank, with more stable clamping force, better stability for drilling and better precision of holes;
- Special carbide tips with layered and low friction cutting geometry
- Applicable to drilling and process of annular groove on various magnetic drilling machines and press.



Unit: inch

MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION
DNTX-E0562	9/16**3"	DNTX-E1125	1-1/8**3"	DNTX-E1687	1-11/16**3"	DNTX-E2250	2-1/4**3"
DNTX-E0625	5/8**3"	DNTX-E1187	1-3/16**3"	DNTX-E1750	1-3/4**3"	DNTX-E2312	2-5/16**3"
DNTX-E0687	11/16**3"	DNTX-E1250	1-1/4**3"	DNTX-E1812	1-13/16**3"	DNTX-E2375	2-3/8**3"
DNTX-E0750	3/4**3"	DNTX-E1312	1-5/16**3"	DNTX-E1875	1-7/8**3"	DNTX-E2437	2-7/16**3"
DNTX-E0812	13/16**3"	DNTX-E1375	1-3/8**3"	DNTX-E1937	1-15/16**3"	DNTX-E2500	2-1/2**3"
DNTX-E0875	7/8**3"	DNTX-E1437	1-7/16**3"	DNTX-E2000	2**3"	DNTX-E2562	2-9/16**3"
DNTX-E0937	15/16**3"	DNTX-E1500	1-1/2**3"	DNTX-E2062	2-1/16**3"		
DNTX-E1000	1**3"	DNTX-E1562	1-9/16**3"	DNTX-E2125	2-1/8**3"		
DNTX-E1062	1-1/16**3"	DNTX-E1625	1-5/8**3"	DNTX-E2187	2-3/16**3"		

METRIC SIZE ON P13



OPTIONAL ACCESSORIES

MATCHING PILOT PIN				RECOMMENDED MAGNETIC DRILLING MACHINE		
DIAMETER	MODEL	SPECIFICATION	PILOT PIN	DIAMETER	MAGNETIC DRILLING MACHING	MATCHING TOOL HOLDER
Φ9/16"-5/8"	DPB-62130	6.34*130		Φ9/16"-5/8"	DX-60	DJXY-75X-MT3
11/16"-2-9/16"	DPB-81130	7.98*130		11/16"-2-9/16"	DX-60	DJXY-75X-MT3
				DX-120	DJXY-75X-MT4	

DNTX CARBIDE TIPPED ANNULAR CUTTER WITH X-TYPE WELDON SHANK



- Weldon shank, with more stable clamping force, better stability for drilling and better precision of holes;
- Special carbide tips with layered and low friction cutting geometry
- Applicable to drilling and process of annular groove on various magnetic drilling machines and press.



Unit: inch

MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION
DNTX-F0562	9/16**4"	DNTX-F1125	1-1/8**4"	DNTX-F1687	1-11/16**4"	DNTX-F2250	2-1/4**4"
DNTX-F0625	5/8**4"	DNTX-F1187	1-3/16**4"	DNTX-F1750	1-3/4**4"	DNTX-F2312	2-5/16**4"
DNTX-F0687	11/16**4"	DNTX-F1250	1-1/4**4"	DNTX-F1812	1-13/16**4"	DNTX-F2375	2-3/8**4"
DNTX-F0750	3/4**4"	DNTX-F1312	1-5/16**4"	DNTX-F1875	1-7/8**4"	DNTX-F2437	2-7/16**4"
DNTX-F0812	13/16**4"	DNTX-F1375	1-3/8**4"	DNTX-F1937	1-15/16**4"	DNTX-F2500	2-1/2**4"
DNTX-F0875	7/8**4"	DNTX-F1437	1-7/16**4"	DNTX-F2000	2**4"	DNTX-F2562	2-9/16**4"
DNTX-F0937	15/16**4"	DNTX-F1500	1-1/2**4"	DNTX-F2062	2-1/16**4"		
DNTX-F1000	1**4"	DNTX-F1562	1-9/16**4"	DNTX-F2125	2-1/8**4"		
DNTX-F1062	1-1/16**4"	DNTX-F1625	1-5/8**4"	DNTX-F2187	2-3/16**4"		

METRIC SIZE ON P14



OPTIONAL ACCESSORIES

MATCHING PILOT PIN				RECOMMENDED MAGNETIC DRILLING MACHINE		
DIAMETER	MODEL	SPECIFICATION	PILOT PIN	DIAMETER	MAGNETIC DRILLING MACHING	MATCHING TOOL HOLDER
Φ9/16"-5/8"	DPB-62160	6.34*160		Φ9/16"-5/8"	DX-120	DJXY-100X-MT4
11/16"-2-9/16"	DPB-81160	7.98*160		11/16"-2-9/16"		

DNTX CARBIDE TIPPED ANNULAR CUTTER WITH X-TYPE WELDON SHANK



- Weldon shank, with more stable clamping force, better stability for drilling and better precision of holes;
- Special carbide tips with layered and low friction cutting geometry
- Applicable to drilling and process of annular groove on various magnetic drilling machines and press.



Unit: inch

MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION	MODEL	SPECIFICATION
DNTX-G0812	13/16**6"	DNTX-G1250	1-1/4**6"	DNTX-G1687	1-11/16**6"	DNTX-G2125	2-1/8**6"
DNTX-G0875	7/8**6"	DNTX-G1312	1-5/16**6"	DNTX-G1750	1-3/4**6"	DNTX-G2187	2-3/16**6"
DNTX-G0937	15/16**6"	DNTX-G1375	1-3/8**6"	DNTX-G1812	1-13/16**6"	DNTX-G2250	2-1/4**6"
DNTX-G1000	1**6"	DNTX-G1437	1-7/16**6"	DNTX-G1875	1-7/8**6"	DNTX-G2312	2-5/16**6"
DNTX-G1062	1-1/16**6"	DNTX-G1500	1-1/2**6"	DNTX-G1937	1-15/16**6"	DNTX-G2375	2-3/8**6"
DNTX-G1125	1-1/8**6"	DNTX-G1562	1-9/16**6"	DNTX-G2000	2**6"		
DNTX-G1187	1-3/16**6"	DNTX-G1625	1-5/8**6"	DNTX-G2062	2-1/16**6"		

METRIC SIZE ON P15

OPTIONAL ACCESSORIES

MATCHING PILOT PIN			
DIAMETER	MODEL	SPECIFICATION	PILOT PIN
13/16"-2-3/8"	DPT-82205	7.98*205	